



MODEL

8300



DOOR FEATURES

Effective Joint Seals -

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Foamed-In-Place Polyurethane Insulation

provides thermal efficiency with an R-value* of 12.12†.

Heavy Gauge Steel End Caps

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.



Silent Glide Rollers

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.

High Cycle Spring Option

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

Wind Load Options wind SAFE





Available with structural reinforcements for use in coastal or high wind region.


Limited Lifetime Warranty





^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors. [†]R-value is for 8' tall doors. R-value for other door heights may vary slightly.


Choose Your Style


Doors shown are 8'x7'. Other sizes may have different panel configurations.











Choose Your Color

Paint Finishes (Standard)











Golden Oak



Bi-Directional Wood-Grain Finishes


Available on Sonoma and Sonoma Ranch only




White Taupe Terra Bronze Brown Actual colors may vary from brochure due to fluctuations in the printing process.

Choose Your Windows

For Colonial and Contemporary Panels








- *Contemporary Panel only.
- **Available only on doors with an even number of panels.

Williamsburg II**



For Sonoma Ranch Panels (continuation)











Stockton IV (4-Lite)

Stockton IV (6-Lite)

Stockton IV (8-Lite)

Stockton IV Stockton IV (12-Lite) (8-Lite Arched)







Clear I



Waterton IV

Williamsburg IV

Williamsburg IV Double Car

Wyndbridge IV**

Choice of single or double arch is available for arched top double car windows.

Not all windows available in all areas. Windows shown are typical of an 8' wide door and placement may vary by panel design.

For Sonoma Panels











Cascade I





Cathedral I





Stockbridge

Waterton III











Arched Stockton Single

Arched Stockton Double

Optional window placement









Glass Options

Clear*














*Insulated glass available.

Additional glass options: clear tempered, satin etched tempered, obscure tempered, impact resistant, and low E.

Choose Your Decorative Hardware







2501 S. State Hwy 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com







